EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	134	write near3 instruction near8 (external expansion) near5 (device logic circuit component)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:31
L2	9	1 and virtual near5 address	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:32
L3	3	2 and abort	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:31
L4	6	2 not 3	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:33
L5	0	1 not 2 and (abort near5 (indicat$3 execut$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:34
L6	131	1 not (abort near5 (indicat$3 execut$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:34
L7	3	1 and (abort near5 (indicat$3 execut$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:34
L8	125	1 not 2	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:34
L9	8	8 and width near6 bus	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:37
L10	37	8 not 9 and (width)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:38
L11	80	8 not (9 10)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:38

L12	6	11 and write near5 protect$3	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:39
L13	10	11 not 12 and ((memory near management near unit) MMU)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:40
L14	64	11 not (12 13)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:40
S1	178	710/66.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:38
S2	61	710/70.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 23:19
S3	366	710/307.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:36
S4	285	710/311.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:37
S5	602	710/313.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:37
S6	519	710/315.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:37
S7	1	"20050081015".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/21 14:30
S8	3	S1 and translat$3 near3 virtual near4 address	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:42
S9	3	S1 and ((write near2 protect$3) (write-protect$2) (write adj protect$2))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:45

S10	4	S1 and ((write near2 protect$3) (write-protect$2) (write adj protect$2) inaccessible)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:46
S11	4	S1 and ((write near2 protect$3) (write-protect$2) (write adj protect$2) inaccessible or ("not" near5 (physical near3 address)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:48
S12	648	abort near4 execution and instruction	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:47
S13	58177	((write near2 protect$3) (write-protect$2) (write adj protect$2) inaccessible or ("not" near5 (physical near3 address)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:48
S14	35	S13 and S12	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:48
S15	10	S14 and (virtual near5 address)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:50
S16	12	S14 and (write near3 instruction)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 22:50
S17	42	("3680055" | "3866183" | "3905023" | "4232366" | "4322795" | "4410944" | "4430706" | "4471482" | "4481573" | "4503497" | "4521850" | "4521851" | "4594659" | "4594660" | "4622631" | "4648034" | "4654788" | "4701843" | "4805098").PN. OR ("5438670"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/19 22:59
S18	4	S16 not S15	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/19 23:10
S19	21	S14 not (S16 S15)	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/19 23:10
S20	1	S2 and (virtual near4 address) not (S8 S7 S9 S10 S11 S14 S17 S19 S18)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 23:18

S21	76	width near4 expansion near3 bus	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 23:34
S22	9	S21 and width near10 conversion	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/11/19 23:33
S23	0	Method of Detecting and Handling Memory-Mapped I/O by a Pipelined Microprocessor	US-PGPUB; USPAT; USOCR; IBM_TDB	ADJ	ON	2007/11/20 16:19
S24	0	Method of Detecting and Handling Memory-Mapped I/O by a Pipelined Microprocessor	US-PGPUB; USPAT; USOCR; IBM_TDB	WITH	ON	2007/11/20 18:13